



500VDC, General Purpose Fuse for EV/HEV EV14515 Series

Description 描述

General purpose fuse for EV/HEV 用于纯电动汽车和混合动力汽车的全范围分断熔断器
 Stud-mount, optional for other installtion 螺栓安装,提供其他安装方式选择
 500Vdc ideal for EV or HEV application 专为纯电动汽车和混合动力汽车设计的 500V 直流熔断器
 Execlent DC performance 卓越的直流分断能力
 Special designed fuse base for vehicle situation 提供专为汽车恶劣环境特殊定制的熔断器底座

Electrical Characteristics		
% of Ampere Rating (A)	Operating	
	Min	Max
110%	14400	-
200%	1	300
300%	0.2	30
500%	0.1	10

Specifications 电气特性

Type	Ordering P/N	Electrical Characteristics		
类型	订购料号	Rated Current	Interrupting rating	I _{zt}
		(Amp)		A _{2S}
单体 Single	EV14515-5	5	500Vdc/10000A	37.5
	EV14515-8	8		96
	EV14515-10	10		150
	EV14515-15	15		330
	EV14515-20	20		400
	EV14515-25	25		625
	EV14515-32	32		1000
	EV14515-40	40		1600
	EV14515-50	50		2500
双拼 Twins	EV14515-60	60	4000	
	EV14515-80	80	8900	
	EV14515-100	100	12000	

*Percentage of change in fuse current carry capability Change in ambient temperature 熔断器随温度变化降额系数: -0.13%/° C *Temperature Rise 温升: <=75K with rated current 额定电流下小于等于 75K

<=45K with 60% of rated current 60%额定电流小于等于 45K




500VDC, General Purpose Fuse for EV/HEV EV14515 Series



Dimension (mm)尺寸

Type: 单体 Single



Type: 双拼/Twins

